

DAFTAR PUSTAKA

- Arga Saputro, T. (2021). Arm Sling Versus Figure of Eight for Treating Midshaft Clavicle Fracture in Adults – A Systematic Review. *Cerdika: Jurnal Ilmiah Indonesia*, 1(6), 755–760. <https://doi.org/10.36418/cerdika.v1i6.107>
- Arigi, Badar. Arief, F. (2021). Hasil Fungsional Antara Plat Konvensional dan Plat Pengait untuk Fraktur Klavikula Lateral. *Amenore Primer*, 21(CMML), 30–37.
- Ayu, S., Ningrum, S., Anam, A. K., Abiddin, A. H., & Malang, P. K. (2018). Pengembangan Selimut Emergency Stretcher Blanket Sebagai Upaya Pencegahan Hipotermia Pada Korban Trauma. *Jurnal Kesehatan Mesencephalon*, 100–106. <https://ejournal.stikeskepanjen-pemkabmalang.ac.id/index.php/mesencephalon/article/view/249/105>
- Biz, C., Scucchiari, D., Pozzuoli, A., Belluzzi, E., Bragazzi, N. L., Berizzi, A., & Ruggieri, P. (2022). Management of Displaced Midshaft Clavicle Fractures with Figure-of-Eight Bandage: The Impact of Residual Shortening on Shoulder Function. *Journal of Personalized Medicine*, 12(5). <https://doi.org/10.3390/jpm12050759>
- Doenges, M. E., House, M. F. M., & Murr, A. C. (2019). *Guidelines for Individualizing Client Care Across the Life Span 10TH Edition Index Of Diseases / Disorders*. 569–581.
- Fang, C. X., Liu, R., Yee, D. K. H., Chau, J., Lau, T. W., Chan, R., Woo, S. B., Wong, T. M., Fang, E., & Leung, F. (2020). Comparison of radiological and clinical outcomes, complications, and implant removals in anatomically pre-contoured clavicle plates versus reconstruction plates - A propensity score matched retrospective cohort study of 106 patients. *BMC Musculoskeletal Disorders*, 21(1), 1–8. <https://doi.org/10.1186/s12891-020-03445-5>
- Jones, S. D., & Bravman, J. T. (2021). Midshaft clavicle fractures-when to operate. *Annals of Joint*, 6, 1–7. <https://doi.org/10.21037/AOJ-2019-MFAS-07>
- Kihlström, C., Möller, M., Lönn, K., & Wolf, O. (2017). Clavicle fractures: epidemiology, classification and treatment of 2 422 fractures in the Swedish Fracture Register; an observational study. *BMC Musculoskeletal Disorders*, 18(1), 1–9. <https://doi.org/10.1186/s12891-017-1444-1>
- Lenza, M., Taniguchi, L. F. P., & Ferretti, M. (2016). Figure-of-eight bandage versus arm sling for treating middle-third clavicle fractures in adults: Study protocol for a randomised controlled trial. *Trials*, 17(1), 1–9. <https://doi.org/10.1186/s13063-016-1355-8>

- Lin, L. C., Liao, C. De, Wu, C. W., Huang, S. W., Hong, J. P., & Chen, H. C. (2021). Effect of arm sling application on gait and balance in patients with post-stroke hemiplegia: a systematic review and meta-analysis. *Scientific Reports*, *11*(1), 1–8. <https://doi.org/10.1038/s41598-021-90602-y>
- Liputra, O. T., Pasiak, T. F., & Wongkar, D. (2017). Hubungan panjang klavikula dan tinggi badan pada mahasiswa Fakultas Kedokteran Unsrat angkatan 2012. *Jurnal E-Biomedik*, *5*(1). <https://doi.org/10.35790/ebm.5.1.2017.14851>
- Mittermayr, R., Haffner, N., Eder, S., Flatscher, J., Schaden, W., Slezak, P., & Slezak, C. (2022). Safe and Effective Treatment of Compromised Clavicle Fracture of the Medial and Lateral Third Using Focused Shockwaves. *Journal of Clinical Medicine*, *11*(7). <https://doi.org/10.3390/jcm11071988>
- Peters, J., Singh, G., & Hakobyan, H. (2022). Surgical Treatment of Clavicular Fractures, Refractures, Delayed and Non-Unions Using a Resorbable, Gentamicin-Eluting Calcium Sulphate/Hydroxyapatite Biocomposite. *Therapeutics and Clinical Risk Management*, *18*, 551–560. <https://doi.org/10.2147/TCRM.S361006>
- Platini, H., Chaidir, R., & Rahayu, U. (2020). Karakteristik Pasien Fraktur Ekstermitas Bawah. *Jurnal Keperawatan 'Aisyiyah*, *7*(1), 49–53. <https://doi.org/10.33867/jka.v7i1.166>
- Pratiwi, M. R. A., & Penida, S. A. (2024). Tatalaksana Fraktur Klavikula Dengan Open Reduction Internal Fixation. *Indonesian Journal of Health Research* ..., *01*(02), 57–62. <https://journal.ymci.my.id/index.php/ijhri/article/view/15%0Ahttps://journal.ymci.my.id/index.php/ijhri/article/download/15/18>
- Putri, A. Z., & Fitria, N. (2023). Perawatan Luka Menggunakan Povidone Iodine 10% dan Elastic Bandages pada Pasien Post Orif dan Oref OS Tibia: Studi Kasus. *MAHESA: Malahayati Health Student Journal*, *3*(7), 2039–2054. <https://doi.org/10.33024/mahesa.v3i7.10701>
- Raja S, Carr D, Cohen M, Finnerup N, Flor H, & Gibson S. (2021). The Revised IASP definition of pain: concepts, challenges, and compromises. *Pain* [revista en Internet] 2021 [acceso 4 de marzo de 2022]; *161*(9): 1-16. *Pain*, *161*(9), 1976–1982. <https://doi.org/10.1097/j.pain.0000000000001939>.The
- Romadhoni, A. W. (2019). Penggunaan Teknik Relaksasi Autogenik Terhadap Pengurangan Nyeri Pada Pasien Post ORIF. *Sustainability (Switzerland)*, *11*(1), 1–14. <http://scioteca.caf.com/bitstream/handle/123456789/1091/RED2017-Eng-gene.pdf?sequence=12&isAllowed=y%0Ahttp://dx.doi.org/10.1016/j.regsciu>

rbeco.2008.06.005%0Ahttps://www.researchgate.net/publication/305320484
_Sistem_Pembetulan_Terpusat_Strategi_Melestari

Sari, B. K. (2017). *Desain pembelajaran model addie dan implementasinya dengan teknik jigsaw*.

Sari, N. N. S. P., Asmara, A. A. G. Y., & Hamid, A. R. H. (2020). Gambaran Karakteristik Fraktur Klavikula Di Rumah Sakit Umum Pusat Sanglah Denpasar Tahun 2013-2017. *Jurnal Medika Udayana*, 9(1), 7–11. [http://download.garuda.kemdikbud.go.id/article.php?article=1357383&val=970&title=Gambaran Karakteristik Fraktur Klavikula Di Rumah Sakit Umum Pusat Sanglah Denpasar Tahun 2013-2017](http://download.garuda.kemdikbud.go.id/article.php?article=1357383&val=970&title=Gambaran%20Karakteristik%20Fraktur%20Klavikula%20Di%20Rumah%20Sakit%20Umum%20Pusat%20Sanglah%20Denpasar%20Tahun%202013-2017)

Soeselo, R., & Tegal, K. (2024). *Asuhan Keperawatan pada An . E dengan Gangguan Sistem Muskuloskeletal : Post Operasi Open Reduction Internal Fixation Fraktur Klavikula Dextra di Ruang Mawar*. 2(4).

Suprajitno. (2016). Pengantar Riset Keperawatan. *Sustainability (Switzerland)*, 11(1), 1–14. http://sciotecca.caf.com/bitstream/handle/123456789/1091/RED2017-Eng-8ene.pdf?sequence=12&isAllowed=y%0Ahttp://dx.doi.org/10.1016/j.regsciu_rbeco.2008.06.005%0Ahttps://www.researchgate.net/publication/305320484_Sistem_Pembetulan_Terpusat_Strategi_Melestari

Tagliapietra, J., Belluzzi, E., Biz, C., Angelini, A., Fantoni, I., Scioni, M., Bolzan, M., Berizzi, A., & Ruggieri, P. (2020). Midshaft clavicle fractures treated nonoperatively using figure-of-eight bandage: are fracture type, shortening, and displacement radiographic predictors of failure? *Diagnostics*, 10(10), 1–11. <https://doi.org/10.3390/diagnostics10100788>

Ulfiani, N., & Sahadewa, M. B. (2021). Multiple Fraktur dengan Ruptur Arteri dan Vena Brachialis. *Medula (Medical Profession Journal of Lampung)*, 10(4), 13–19.