

## DAFTAR PUSTAKA

- Ahlqvist, E., Storm, P., Käräjämäki, A., et al. (2018). Novel subgroups of adult-onset diabetes and their association with outcomes: a data-driven cluster analysis of six variables. *The Lancet Diabetes & Endocrinology*, 6(5), 361-369.
- American Diabetes Association; 6. Glycemic Targets: Standards of Medical Care in Diabetes—2019. *Diabetes Care* 1 January 2019; 42 (Supplement\_1): S61–S70.
- Arifin, I., & Nurjayanti. (2024). *Rekonstruksi Poster Sebagai Media Aspirasi Dan Propaganda Mahasiswa. Ilmu Pemerintahan Dan Ilmu Komunikasi*, 9, 1–18.
- Augustin, L. S. A., et al. (2015). The Glycemic Index, Glycemic Load, and Health Outcomes: An Evidence-Based Consensus Statement. *Journal of the Academy of Nutrition and Dietetics*, 115(5), 724-743. DOI: <https://doi.org/10.1016/j.jand.2014.11.006>
- Brownie, S., & Coutts, A. (2013). Nutrition and the older adult. *Australian Journal of Advanced Nursing*, 30(4), 48-56.
- Charan, J., & Biswas, T. (2013). How to Calculate Sample Size for Different Study Designs in Mmedical Research? *Indian Journal of Psychological Medicine*, 35(2), 121–126. <https://doi.org/10.4103/0253-7176.116232>
- David J. Wirth, Nancy A. Copperman, Carol Byrd-Bredbenner. 2021. Breakfast intake among adults with type 2 diabetes: influence. *Public Health Nutrition*, 18(9). DOI: <https://doi.org/10.1017/S1368980014002886>
- de Carvalho, Cláudia M., et al. "Plasma glucose and insulin responses after consumption of breakfasts with different sources of soluble fiber in type 2 diabetes patients: a randomized crossover clinical trial." *The American journal of clinical nutrition* 106.5 (2017): 1238-1245.
- de Mello, M. J., et al. (2020). The Glycemic Load of a Meal and its Effect on Glucose and Insulin Responses in Healthy Individuals. *Nutrition & Metabolism*, 17(1), 1-11. DOI: <https://doi.org/10.1186/s12986-020-00469-8>
- Decroli, E. (2019). *Diabetes Melitus Tipe 2* (A. kam, Y. P. Efendi, G. P. Decroli, & A. Rahmadi, Eds.; Pertama). Pusat Penerbitan Bagian Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Andalas.
- Dinas Kesehatan Kota Malang. 2024. *Profil Kesehatan Kota Malang*.
- Dwipajati, D., & Kaswari, S. R. T. (2024). Restriction of Rice Portion and Consumption Pre-Meal Fruit with HbA1c Levels and Abdominal Fat for Type 2 Diabetes Mellitus Patient in Malang City. *Amerta Nutrition*, 8(1), 58–66. <https://doi.org/10.20473/amnt.v8i1.2024.58-66>
- Dwipajati. (2023). A Pilot Study On Diabetic Patients At Malang Community Health Center Regarding The Application Of The T-Plate Model Concept. *The Indonesian Journal of Public Health*, 18(3), 540–551. <https://doi.org/10.20473/ijph.v18i3.2023.540-551>
- Eleazu, C. O. (2016). The Concept of Low Glycemic Index and Glycemic Load Foods as Panacea for Type 2 Diabetes Mellitus; Prospects, Challenges

- and Ssolutions. *African Health Sciences*, 16(2), 468–479. <https://doi.org/10.4314/ahs.v16i2.15>
- Evans, R. A., Frese, M., Romero, J., Cunningham, J. H., & Mills, K. E. (2017). Fructose replacement of glucose or sucrose in food or beverages lowers postprandial glucose and insulin without raising triglycerides: a systematic review and meta-analysis. *The American Journal of Clinical Nutrition*, 106(2), 506–518.
- Evert, A. B., et al. (2019). Nutrition therapy for adults with diabetes or prediabetes: A consensus report. *Diabetes Care*, 42(5), 731-754. <https://doi.org/10.2337/dci19-0014>
- Fuchs, J., & Wewalka, M. (2020). Diabetes with poor glycaemic control: determinants and burden of illness in a large prospective cohort in Austria. *BMJ Open Diabetes Research & Care*, 8(1), e001079.
- Hardinsyah, M. (2016). *Ilmu gizi teori dan aplikasi*. Jakarta: penerbit buku kedokteran egc, 131.
- Hardy, D. S., Garvin, J. T., & Xu, H. (2020). Carbohydrate Quality, Glycemic Index, Glycemic Load and Cardiometabolic Risks in the US, Europe and Asia: A dose–Response Meta-Analysis. *Nutrition, Metabolism and Cardiovascular Diseases*, 30(6), 853–871. <https://doi.org/10.1016/j.numecd.2019.12.050>
- Huang, M., Zhao, R., Li, S., & Jiang, X. (2014). Self-management behavior in patients with type 2 diabetes: a cross-sectional survey in western urban China. *PloS one*, 9(4), e95138. <https://doi.org/10.1371/journal.pone.0095138>
- Hutagalung, W. V. C., Adyas, A., & Dalimunthe, N. K. (2025). Hubungan Asupan Energi dan Aktivitas Fisik Dengan Status Gizi pada Remaja Putri di SMP Advent Bandar Lampung. *JETISH: Journal of Education Technology Information Social Sciences and Health*, 4(1), 1–10.
- IDF, I. D. F. (2021). *IDF Diabetes Atlas 10th edition*. [www.diabetesatlas.org](http://www.diabetesatlas.org)
- Jiang, L., Wang, L., & Mao, Y. (2021). Effects of 12-week aerobic exercise on oxidative stress, insulin sensitivity, and glycemic control in type 2 diabetes mellitus patients: a systematic review and meta-analysis of randomized controlled trials. *Journal of Diabetes Research*, 2021, 9946709.
- KEMENKES. (2017). *Pedoman Umum Gentas Gerakan Berantas Obesitas*.
- Kurniasanti, P. (2020). Hubungan Asupan Energi, Lemak, Serat, dan Aktivitas Fisik dengan Visceral Fat pada Pegawai Uin Walisongo Semarang. *Nutri-Sains: Jurnal Gizi, Pangan dan Aplikasinya*, 4(2), 139–152. <https://doi.org/10.21580/ns.2020.4.2.7150>
- Rohmalia, D., & Kushargina, R. (2021). Pentingnya Penuhi Asupan Serat dengan Kebun Gizi (Pesan Kenzi). *Jagri: Jurnal Agroindustri*, 2(2), 69–76. <https://doi.org/10.36590/jagri.v2i2.167>
- Kusmita, I., Ningtyias, F. W., & Hartanti, R. I. (2023). Pola Makan 3J, Aktivitas Fisik, dan Glukosa Darah Sewaktu Penderita Diabetes Melitus Tipe 2 Usia Produktif di Prolanis Puskesmas Ajung. *Agustus*, 11(2), 68–73. <https://doi.org/10.25047/j-kes.v11i2.438>

- Laiteerapong, N., Ham, S. A., Gao, Y., et al. (2019). The Legacy Effect in Type 2 Diabetes: Impact of Early Glycemic Control on Future Complications (The Diabetes & Aging Study). *Diabetes Care*, 42(3), 416-426.
- Maneesing, T. U., Dawangpa, A., Chaivanit, P., Songsakul, S., Prasertsri, P., Noronha, N. Y., Watanabe, L. M., Nonino, C. B., Pratumvinit, B., & Sae-Lee, C. (2023). Optimising Blood Glucose Control With Portioned Meal Box In Type 2 Diabetes Mellitus Patients: A Randomised Control Trial. *Frontiers in Nutrition*, 10, 1–11. <https://doi.org/10.3389/fnut.2023.1216753>
- McMorris, T., Parker, J., & Sproson, B. (2016). Cognitive performance and mood following ingesting of high-carbohydrate breakfast in adolescents. *Journal of Applied Research in Memory and Cognition*, 5(3), 260-267. <https://doi.org/10.1016/j.jarmac.2016.05.006>
- McRorie, J. W. (2015). Evidence-based approach to fiber supplements and clinically meaningful health benefits, part 1. *Nutrition Today*, 50(2), 82-89.
- Nurmawati, T., Sari, Y. K., & Setyaningsih, M. (2018). Efektifitas Pendidikan Kesehatan dengan Metode Ekspositori tentang Meal Planning terhadap Pola Makan Pasien DM Tipe 2. *Jurnal Ners Dan Kebidanan (Journal of Ners and Midwifery)*, 5(3), 257–262. <https://doi.org/10.26699/jnk.v5i3.art.p257-262>
- Ouellet, V., Weisnagel, S. J., Marois, J., Bergeron, J., Julien, P., & Gougeon, R. (2008). Dietary cod protein reduces insulin secretion in healthy individuals and improves glucose homeostasis in high-fat-fed obese diabetic rats. *American journal of physiology-endocrinology and metabolism*, 295(1), E173-E181.
- PERKENI, P. E. I. (2021). *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021*. PB. PERKENI.
- Potter, M., Vlassopoulos, A., & Lehmann, U. (2021). The portion size effect: A review of the literature and potential implications for portion control strategies. *Nutrition Reviews*, 79(3), 255–271.
- Pramitra, E. (2020). Hubungan Beban Glikemik dan IMT dengan Kadar Gula Darah pada Pasien Diabetes Melitus Tipe 2. *Jurnal Politeknik Kemenkes Gorontalo*, 8(1), 1-10. DOI: <https://doi.org/10.52365/jhn.v11i1.1352>
- Prasanti, D., & Fuady, I. (2018). Pemanfaatan Media Komunikasi Dalam Penyebaran Informasi Kesehatan Kepada Masyarakat. *Reformasi*, 8(1), 8. <https://doi.org/10.33366/rfr.v8i1.921>
- Punthakee, Z., Goldenberg, R., & Katz, P. (2018). Definition, Classification and Diagnosis of Diabetes, Prediabetes and Metabolic Syndrome. *Canadian Journal of Diabetes*, 42, S10–S15. <https://doi.org/10.1016/j.jcjd.2017.10.003>
- Putri, E. F. (2024). Analisis Faktor-Faktor yang Memengaruhi Status Diabetes Mellitus pada Pra Lansia dan Lansia di Indonesia Menggunakan Model Regresi Logistik Biner. *Statistika*, 24(1), 54-64.
- Putri, N. A., & Pritasari, D. (2017). The effect of nutrition education on Knowledge, Attitude, and Food Pattern of Type 2 Diabetes Patients at Puskesmas Kecamatan. *Ciracass*. 2(2), 54–64.

- Putri, N. P. W. O., Kusumayanti, G. A. D., & Cintari, L. (2020). *Tinjauan kasus gambaran tingkat konsumsi serat dan kadar glukosa darah kasus DM tipe 2 poli penyakit dalam di RSUD Wangaya Denpasar*. (Tugas Akhir, Jurusan Gizi). Politeknik Kesehatan Denpasar.
- Reynolds, A. N., Akerman, A. P., & Mann, J. (2020). Dietary fibre and whole grains in diabetes management: Systematic review and meta-analyses. *PLOS Medicine*, 17(3), e1003053.
- Sari, N. P. (2024). Hubungan Antara Beban Glikemik Makanan dengan Kadar Glukosa Darah Penderita Diabetes Melitus Tipe 2 di Prolanis Puskesmas Kecamatan Jatinegara. Skripsi, Politeknik Kesehatan Kemenkes Jakarta II.
- Silva, D. F. O., Sena, C. M., & Cobucci, R. N. (2022). Effects of lifestyle intervention on glycemic control in patients with type 2 diabetes: a systematic review of randomized controlled trials. *Diabetology & Metabolic Syndrome*, 14, 184.
- Silva, F. M., Steemburgo, T., de Mello, V. D., et al. (2019). The role of protein and fiber content in the dietary management of type 2 diabetes: A systematic review of the literature. *Revista da Associação Médica Brasileira*, 65(8), 1128-1134.
- Silva, S. G. P., et al. (2021). The Effect of Carbohydrate Quality and Quantity on Postprandial Glycemic Response in Individuals with Type 2 Diabetes Mellitus: A Systematic Review and Meta-analysis. *Journal of Diabetes Research*, 2021, 1-13. DOI: <https://doi.org/10.1155/2021/6620576>
- Siwi, N. P., & Paskarini, I. (2018). Hubungan asupan karbohidrat, lemak, dan protein dengan status gizi (studi kasus pada pekerja wanita penyadap getah karet di perkebunan Kalijompo Jember). *The Indonesian Journal of Public Health*, 13(1), 1-12.
- Sofie, N., & Sefrina, L. R. (2022). Literature Review: The Effect of Nutrition Education on Dietary Changes to Diabetes Mellitus Patient. *Jurnal Gizi dan Kesehatan*, 14(2), 224–237.
- Soviana, E., & Maenasari, D. (2019). Asupan Serat, beban glikemik dan kadar glukosa darah pada pasien diabetes melitus tipe 2. *Jurnal Kesehatan*, 12(1), 19-29.
- Soviana, E., & Pawestri, C. (2020). Efek Konsumsi Bahan Makanan yang Mengandung Beban Glikemik Terhadap Kadar Glukosa Darah pada Pasien DM Tipe2 (The Effect of Glychemic Load Diet on Blood Glucose Level in Patients with Type 2 Diabetes). *Darussalam Nutrition Journal*, 4(2), 94–103.
- Stone, J. Y., Mayberry, L. S., Clouse, K., & Mulvaney, S. (2023). The Role of Habit Formation and Automaticity in Diabetes Self-Management: Current Evidence and Future Applications. *Current diabetes reports*, 23(4), 43–58. <https://doi.org/10.1007/s11892-023-01499-y>
- Sulastri. (2022). *Buku Pintar Perawatan Diabetes Melitus*. CV. Trans Info Media.
- Sumartono, & Astuti, H. (2018). Penggunaan Poster Sebagai Media Komunikasi Kesehatan. Penggunaan Poster Sebagai Media Komunikasi Kesehatan Komunikologi, *Komunikologi: Jurnal Ilmiah Ilmu Komunikasi*, 15(1). DOI: <https://doi.org/10.47007/jkomu.v15i1.187>

- Tim Riskesdas. (2019). *Laporan Riskesdas 2018 Nasional*. In BALITBANGKES.
- TIm Riskesdas. (2019). *Laporan Riskesdas Jawa Timur 2018*.
- Utoyo, A. W. (2020). Analisis Komunikasi Visual Pada Poster Sebagai Media Komunikasi Mendorong Jarak Sosial Di Jakarta Saat Pandemi Covid 19. *LUGAS Jurnal Komunikasi*, 4(1), 35–42. DOI: <https://doi.org/10.31334/lugas.v4i1.939>
- Vega-López, S., Venn, B. J., & Slavin, J. L. (2018). Relevance of the Glycemic Index and Glycemic Load for Body Weight, Diabetes, and Cardiovascular Disease. *Nutrients*, 10(10), 1361. Link: <https://doi.org/10.3390/nu10101361>
- Viapita, Brilianti, Raihanah Suzan, and Erny Kusdiyah. "Studi Literatur: Hubungan Asupan Serat Terhadap Kadar Glukosa Darah Postprandial." *Scientific Of Environmental Health and Diseases (e-SEHAD) 2.1* (2021): 01-09.
- Volkert, D., Beck, A. M., Cederholm, T., Cruz-Jentoft, A., Goisser, S., Hooper, L., ... & Wirth, R. (2019). ESPEN guideline on clinical nutrition and hydration in geriatrics. *Clinical Nutrition*, 38(1), 10-47. <https://doi.org/10.1016/j.clnu.2018.05.024>
- Wang, X., Liu, J., Yamamoto, R., & Wang, X. (2021). Beta-cell dysfunction and its underlying mechanisms in type 2 diabetes: a literature review. *Journal of Diabetes Investigation*, 12(7), 1146-1154.
- Weickert, M. O., & Pfeiffer, A. F. H. (2018). Dietary Fiber and the Control of Glucose Metabolism. *Diabetes & Metabolism Journal*, 42(5), 374–382. <https://doi.org/10.4093/dmj.2018.0069>
- Widiasari, K. R., Wijaya, I. M. K., & Suputra, P. A. (2021). Diabetes Melitus Tipe 2: Faktor Risiko, Diagnosis, dan Tatalaksana. *Ganesha Medicina Journal*, 1(2), 114–120. DOI: <https://doi.org/10.23887/gm.v1i2.40006>
- Wu, S., Jia, W., He, H., Yin, J., Xu, H., He, C., Zhang, Q., Peng, Y., & Cheng, R. (2023). A New Dietary Fiber Can Enhance Satiety and Reduce Postprandial Blood Glucose in Healthy Adults: A Randomized Cross-Over Trial. *Nutrients*, 15(21), 4569. <https://doi.org/10.3390/nu15214569>
- Yalcin, T., Al, A., & Rakıcioğlu, N. (2017). The effects of meal glycemic load on blood glucose levels of adults with different body mass indexes. *Indian Journal of Endocrinology and Metabolism*, 21(1), 71. <https://doi.org/10.4103/2230-8210.195995>